



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/065,665	11/07/2002	Lin-Kai Bu	HMOP0006USA	8010

27765 7590 07/12/2005

NORTH AMERICA INTERNATIONAL PATENT OFFICE (NAIPC)
P.O. BOX 506
MERRIFIELD, VA 22116

EXAMINER

NGUYEN, JENNIFER T

ART UNIT	PAPER NUMBER
----------	--------------

2674

DATE MAILED: 07/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/065,665

Applicant(s)

BU ET AL.

Examiner

Jennifer T. Nguyen

Art Unit

2674

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 November 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-26 and 28-39 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 30-33,36 and 38 is/are allowed.
- 6) ☒ Claim(s) 1,3-17,21-23,28,29,34,35,37 and 39 is/are rejected.
- 7) ☒ Claim(s) 18-20 and 24-26 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 6/24/05
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

1. This Office action is responsive to amendment filed on 03/08/05.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1, 3-8, 13, 28, and 34 are rejected under 35 U.S.C. 102(e) as being anticipated by Akimoto et al. (Patent No.: US 6,756,962).

Regarding claims 1 and 34, referring to Fig. 1, Akimoto teaches a method of driving a liquid crystal display (LCD) device, the method comprising:

providing the LCD device with LCD panel for displaying a plurality of pixels (11) arranged in a matrix format; a voltage selection circuit (3) for outputting a plurality of driving voltage levels according to display data; and a plurality of output buffers (20), each output buffer electrically coupled between the voltage selection circuit and the LCD panel (col. 4, line 34 to col. 5, line 5);

driving pixels located in a row by corresponding output buffers (20) according to corresponding driving voltage levels generated from the voltage selection circuit (col. 5, lines 20-33);

disconnecting the pixels from the corresponding output buffers; and

connecting the pixels driven by the same driving voltage level for equalizing voltages applied on the pixels (col. 5, lines 34-50), and turning off the operating voltages inputted into the corresponding output buffers (i.e., the canceling buffer outputting switch 16 is turned off, the driving voltages are set to turn off) (col. 11, line35-41).

Regarding claim 3, Akimoto teaches each output buffer is an operational amplifier (col. 5, lines 51-67).

Regarding claim 4, Akimoto teaches the voltage selection circuit (3) comprises a plurality of conductive wires each for carrying one of the driving voltage levels and a plurality of digital-to-analog decoders (DACs) each for selecting one of the driving voltage levels from the conductive wires according to display data (col. 4, lines 50-67).

Regarding claim 5, Akimoto teaches a plurality of switches each selectively connecting an output terminal (16) of the output buffer to corresponding pixel or connecting an input terminal (17) of the output buffer, to a corresponding pixel (11) (Fig. 1).

Regarding claim 6, Akimoto teaches connecting the output terminal of the output buffer to the corresponding pixel (col. 5, lines 20-44).

Regarding claim 7, Akimoto teaches connecting the input terminal of the output buffer to the corresponding pixel (col. 5, lines 20-44).

Regarding claim 8, Akimoto teaches the pixels predetermined to be driven to the same driving voltage level are connected to the same conductive wire which delivers corresponding driving voltage level (col. 5, lines 20-44).

Regarding claim 13, Akimoto teaches a timing controller (19) for controlling driving (col. 5, lines 1-5).

Art Unit: 2674

Regarding claim 28, referring to Figs. 1 and 11, Akimoto teaches a driving device for driving a liquid crystal display (LCD) device, the LCD device comprising an LCD panel having a plurality of pixels arranged in a matrix format, said driving device comprising: a voltage selection module (3) comprising a power supply (1) having a plurality of power transmission lines (2) for carrying a plurality of voltages, and a plurality of decoders each selectively outputting one of the voltages from the power transmission lines according to display data (col. 4, lines 55-57); and a plurality of driving units (16, 17, and 20) each electrically coupled to the one of said decoders, each driving unit comprising an output buffer (20) and a switch (16, 17), a first end of said switch being selectively connected to either an output terminal of said output buffer (i.e., switch 16 connects to output terminal of the output buffer 20) or an input terminal of said output buffer (i.e., switch 17 connects to input terminal of the output buffer 20), a second end of said switch being connected to an output terminal of said driving unit; wherein the first end of said switch is first connected to the output terminal of said output buffer for driving an output voltage of the driving unit toward a voltage transmitted via one of the power transmission lines of said power supply, and the first end of said switch is then connected to the input terminal of said output buffer for driving the output voltage of said driving unit toward an average voltage generated from averaging voltages at output terminals of said driving units that are connected to the same power transmission line through corresponding decoders (col. 5, lines 20-50, col. 10, lines 25-64), and an operating voltage inputted into said output buffer is turned off when the first end of said switch is connected to the input terminal of said output buffer (col. 11, line 35-41).

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 9-12, 29, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akimoto et al. (Patent No.: US 6,756,962).

Regarding claims 9-12, 29, and 39, referring to Fig. 11, Akimoto teaches a plurality of first switches (66) each connected between an output terminal of a corresponding output buffer (20) and a corresponding pixel; and a plurality of second switches (67). Although, Akimoto does not specifically teach each of the second switches connected between two pixels for selectively connecting the two pixels. However, it would have been obvious to obtain each of the second switches connected between two pixels by turning on the second switch (67) of the upper circuit for inputting the driving voltage for the odd pixel and turning on the second switch (67) of the lower circuit for inputting the driving voltage for the even pixel simultaneously in order to approach an average voltage for the adjacent pixels quickly.

6. Claims 14-17, 21-23, 35, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akimoto et al. (Patent No.: US 6,756,962) in view of Shimizu (Pub No.: US 2004/0196212).

Regarding claims 14-17, Akimoto differs from claims 14-17 in that he does not specifically teach the timing controller comprises: a frequency divider for dividing the frequency of a clock signal according to a predetermined divisor; a counter for counting the divided clock

Art Unit: 2674

signal to generate a count value; and a comparator for comparing the count value with a predetermined number to generate a comparison result. However, referring to Fig. 2, Shimizu teaches the timing controller comprises: a frequency divider (12) for dividing the frequency of a clock signal according to a predetermined divisor; a counter (12) for counting the divided clock signal to generate a count value; and a comparator (14) for comparing the count value with a predetermined number to generate a comparison result [0044]-[0045]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the timing controller as taught by Shimizu in the system of Akimoto in order to generate clock signal to control driving of the display panel efficiently.

Regarding claims 21, 35, 37, the combination of Akimoto and Shimizu teaches a liquid crystal display (LCD) device comprising: an LCD panel for displaying a plurality of pixels arranged in a matrix format; a voltage selection circuit (3) for outputting a plurality of driving voltage levels according to display data; a plurality of output buffers (20), each output buffer (20) electrically connected to the voltage selection circuit (3) and the LCD panel for driving the corresponding pixel (11) by corresponding driving voltage level; and a timing controller (19) for controlling driving of the pixels (Fig. 1, col. 4, line 34 to col. 5, line 5); wherein the output buffers are disconnected from the corresponding pixels, and the pixels that are driven by the same driving voltage level are connected for averaging the voltage applied on the pixels (col. 5, lines 20-50, col. 10, lines 25-64 of Akimoto) and Shimizu teaches the timing controller comprises: a frequency divider (12) for dividing the frequency of a clock signal according to a predetermined divisor; a counter (12) for counting the divided clock signal to generate a count

Art Unit: 2674

value; and a comparator for (133) comparing the count value with a predetermined number; wherein when the count value is equal to the predetermined number [0044]-[0045] of Shimizu.

Regarding claims 22 and 23, the combination of Akimoto and Shimizu teaches the frequency divider comprises an input port for receiving an input data to set the predetermined divisor and the comparator comprises an input port for receiving an input data to set the predetermined number [0044]-[0045].

7. Claims 18-20 and 24-26 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

8. Claims 30-33, 36, and 38 are allowed.

Response to Arguments

9. Applicants' arguments filed 3/8/2005, have been fully considered but they are not persuasive because as follows:

In response to Applicants' argument filed "Akimoto fail to teach or suggest turning off the operating voltage inputted into an offset canceling buffer to disable the offset canceling buffer in the second half of one horizontal scanning period". Examiner respectfully disagrees, in col. 11, line35-41, Akimoto teaches turning off the operating voltages inputted into the corresponding output buffers (i.e., the canceling buffer outputting switch 16 is turned off, the driving voltages are set to turn off). Applicants' argument filed "where the switch S2 is coupled between output terminals of two driving units...Akimoto fails to disclose this feature". However, Akimoto teaches the second switches (67) of the upper circuit and second switch (67) of the lower circuit. It would have been obvious to obtain each of the second switches connected

Art Unit: 2674

between two pixels by turning on the second switch (67) of the upper circuit for inputting the driving voltage for the odd pixel and turning on the second switch (67) of the lower circuit for inputting the driving voltage for the even pixel simultaneously in order to approach an average voltage for the adjacent pixels quickly.

10. Applicant's arguments with respect to claims 1, 3-26, and 28-33 have been considered but are moot in view of the new ground(s) of rejection.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer T. Nguyen whose telephone number is 571-272-7696. The examiner can normally be reached on Mon-Fri: 9:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick N. Edouard can be reached on 571-272-7603. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jennifer Nguyen
7/5/05


REGINA LIANG
PRIMARY EXAMINER